

[ ARTLINE ]

# CREATION 30

gerflor.com




**Gerflor**<sup>®</sup>  
theflooringgroup

# [ ARTLINE ] ▶ CREATION 30

# 3

INSTALLATION SOLUTIONS  
SYSTÈMES DE POSE  
VERLEGELÖSUNGEN



**INTERLOCKING  
CLIPSABLE  
KLICKSYSTEM**

## [ ARTLINE LOCK ] ▶ CREATION 30 LOCK

HORIZONTAL LOCK  
NO ADHESIVE

LOCK HORIZONTAL  
SANS COLLE

HORIZONTAL LOCK  
OHNE KLEBSTOFF



**LOOSELAY  
PLOMBANT  
LOSE VERLEGUNG**

## **NEW** ▶ CREATION 30 X'PRESS

EXCLUSIVE LOOSELAY CONSTRUCTION  
PRESSURE SENSITIVE ADHESIVE\*  
REMOVABLE

CONCEPTION PLOMBANTE EXCLUSIVE  
ADHÉSIF REPOSITIONNABLE\*

EXKLUSIVES SELBSTLIEGENDES VERLEGESYSTEM  
INKLUSIVE DRUCKAKTIVIERTEM KLEBSTOFF\*  
WIEDERAUFNEHMBAR



**PERMANENT ADHESIVE  
COLLAGE PERMANENT  
VOLLFLÄCHIGE  
VERKLEBUNG**

## [ ARTLINE ] ▶ CREATION 30

PERMANENT INSTALLATION ON PREPARED SUBFLOOR  
IDEAL FOR NEW PROJECTS

POSE PERMANENTE SUR SUPPORT PRÉPARÉ  
IDÉAL NOUVEAUX PROJETS

DAUERHAFTE VERLEGUNG AUF VORBEREITETEM UNTERGRUND  
IDEAL FÜR NEUE PROJEKTE



CREATION 30	CREATION 55	CREATION 70
0,30*	0,55*	0,70*
▲ TRAFFIC & RESISTANCE		

\*Wear layer (mm) / Couche d'usure (mm) / Nutzschicht (mm)



\* Adhésif Repositionnable / Integrierte Klebeschicht - \*\* Adhésif Repositionnable / Druckaktivierter Klebstoff





CAMBRIDGE 0465




15.2 x 91.4



MAZURKA 0349



15.2 x 91.4



BALLERINA 0347



15.2 x 91.4



17.8 x 124.5



18.4 x 121.9



BOSSA NOVA 0588



18.4 x 121.9



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL








BOSSA NOVA

DES DESIGNS  
HIGH / FORT / HOCH




FOLK 0488  
15.2x91.4



TEMPO 0262  
15.2x91.4



PAVANE 0499  
15.2x91.4



MORRIS 0265  
15.2x91.4  
17.8 x 124.5  
18.4x121.9



BAMBA 0492



15.2x91.4



TANGO 0498




15.2x91.4



BUFFALO 0457



15.2x91.4



RUMBA 0502



15.2x91.4



BREAK DANCE



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE




LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL









HONEY OAK 0441



 15.2x91.4


 17.8 x 124.5





QUARTET 0503



 15.2x91.4

 17.8 x 124.5

 18.4x121.9




RUSTIC OAK 0445




 15.2 x 91.4


 17.8 x 124.5



BREAK DANCE 0589




 18.4 x 121.9

 17.8 x 124.5

 18.4x121.9

RUMBA





BOOGIE 0490



	15.2x91.4 18.4 x 121.9
	17.8 x 124.5
	18.4x121.9



AMADOR 0447



	15.2x91.4
	17.8 x 124.5
	18.4x121.9



OXFORD 0061



	18.4 x 121.9
	17.8 x 124.5



MILONGA 0591



	18.4 x 121.9
--	--------------



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL







BOOGIE

DES DESIGNS

HIGH / FORT / HOCH



FLAMENCO 0493



15.2x91.4



PASO DOBLE 0592



18.4 x 121.9



CUMBIA 0587




18.4x121.9







SALSA 0593



 18.4 x 121.9


 17.8 x 124.5


 18.4 x 121.9




TAMOURE 0586



 18.4 x 121.9


 17.8 x 124.5


 18.4 x 121.9



ARENA 0060




 18.4 x 121.9


 17.8 x 124.5



MADISON 0491



 15.2 x 91.4

 17.8 x 124.5



NORTH WOOD

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE




LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL








CALYPSO 0489

 15.2 x 91.4

 17.8 x 124.5



SIRTAKI 0590

 18.4 x 121.9





NORTH WOOD 0743


 18.4 x 121.9



TWIST 0504

 15.2 x 91.4

 17.8 x 124.5


 18.4 x 121.9



ROYAL OAK GOLD  
0739



18.4 x 121.9



ROYAL OAK COFFEE  
0740



18.4 x 121.9



ALAMO SAND 0738



18.4 x 121.9



ALAMO ASH 0737



18.4 x 121.9



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL







ROYAL OAK GOLD





BEBOP 0585



18.4 x 121.9



17.8 x 124.5



18.4 x 121.9



CHARLESTON 0501



15.2 x 91.4



BOSTONIAN 0749



18.4 x 137.1



PASADENA 0386



MIX\*



BOSTONIAN

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING




MEDIUM / MOYEN / MITTEL







TIMBER CAMEL 0742   
 11.4 x 61  
18.4 x 121.9



TIMBER RUST 0741   
 11.4 x 61  
18.4 x 121.9



TIMBER CAMEL



ANDANTE 0505



 61 x 61

 30.3 x 60.7



PARKER STATION  
0374



 61 x 61

 30.3 x 60.7

 30.5 x 61



RIVERSIDE 0436



 61 x 61


 30.3 x 60.7

 30.5 x 61



BOLERO 0475



 30.5 x 61

 30.3 x 60.7



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL







BACK STREET



DURANGO TAUPE  
0751



61 x 61



SOPRANO 0414



30.5 x 61




30.3 x 60.7



BACK STREET 0748



30.5 x 61



DURANGO MOKA  
0750



61 x 61



PASHMINA STORM  
0746



45.7 x 91.4



PASHMINA CLOUD  
0747



45.7 x 91.4



CARRARE 0744



30.5 x 61  
18.4 x 121.9



PASHMINA STORM

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL








SILVER CITY 0373




 61x61

 30.3 x 60.7




CARMEL 0618



 30.5 x 61

 30.3 x 60.7

 30.5 x 61



STACCATO 0476



 61x61

 30.3 x 60.7

 30.5 x 61



NORVEGIAN SLATE 0438



 30.5x61



BEBOP





STACCATO

**EXCLUSIVE EMBOSSES** FOR ENHANCED DESIGNS  
**SURFACES GRAINÉES** POUR UNE MATIÈRE TRÈS RÉALISTE  
**VERSCHIEDENE EXKLUSIVE OBERFLÄCHENPRÄGUNGEN**  
FÜR NOCH REALISTISCHERE DESIGNS

HAMMERED



BRUSHED




SLATE




LIGHT




PERFORATED




NATURAL



STONE



RUSTIC WOOD






## STAMPED




## SAW EFFECT




## GENUINE



		<b>CREATION 30</b> 	<b>CREATION 30</b> LOCK 	<b>CREATION 30</b> X'PRESS 
	Code	Slip Resistance wet / Glissance humide / Rutschhemmung (DIN 51130) Embosses / Grains / Prägungen		
AMADOR	0447	R9 - SAW EFFECT	R9 - SAW EFFECT	R9 - SAW EFFECT
BALLERINA	0347	R9 - NATURAL	R9 - NATURAL	R9 - NATURAL
BEBOP	0585	R10 - BRUSHED	R10 - BRUSHED	R10 - BRUSHED
BOOGIE	0490	R10 - BRUSHED	R10 - BRUSHED	R10 - BRUSHED
BREAK DANCE	0589	R10 - RUSTIC WOOD	R10 - RUSTIC WOOD	R10 - RUSTIC WOOD
CARMEL	0618	R10 - HAMMERED	R10 - HAMMERED	R10 - HAMMERED
MORRIS	0265	R9 - NATURAL	R9 - NATURAL	R9 - NATURAL
PARKER STATION	0374	R10 - HAMMERED	R10 - HAMMERED	R10 - HAMMERED
QUARTET	0503	R9 - NATURAL	R9 - NATURAL	R9 - NATURAL
RIVERSIDE	0436	R10 - HAMMERED	R10 - HAMMERED	R10 - HAMMERED
SALSA	0593	R9 - SAW EFFECT	R9 - SAW EFFECT	R9 - SAW EFFECT
STACCATO	0476	R11 - PERFORATED	R11 - PERFORATED	R11 - PERFORATED
TAMOURE	0586	R10 - BRUSHED	R10 - BRUSHED	R10 - BRUSHED
TWIST	0504	R9 - NATURAL	R9 - NATURAL	R9 - NATURAL
ANDANTE	0505	R9 - STONE	R9 - STONE	
ARENA	0060	R9 - SAW EFFECT	R9 - SAW EFFECT	
BOLERO	0475	R9 - STONE	R9 - STONE	
CALYPSO	0489	R10 - BRUSHED	R10 - BRUSHED	
HONEY OAK	0441	R9 - NATURAL	R9 - NATURAL	
MADISON	0491	R10 - BRUSHED	R10 - BRUSHED	
OXFORD	0061	R10 - BRUSHED	R10 - BRUSHED	
RUSTIC OAK	0445	R9 - LIGHT	R9 - LIGHT	
SILVER CITY	0373	R10 - HAMMERED	R10 - HAMMERED	
SOPRANO	0414	R10 - HAMMERED	R10 - HAMMERED	
ALAMO ASH	0737	R9 - STAMPED		
ALAMO SAND	0738	R9 - STAMPED		
BACK STREET	0748	R10 - HAMMERED		
BAMBA	0492	R10 - BRUSHED		
BOSSA NOVA	0588	R9 - SAW EFFECT		
BOSTONIAN	0749	R9 - NATURAL		
BUFFALO	0457	R10 - BRUSHED		
CAMBRIDGE	0465	R9 - NATURAL		
CARRARE	0744	R9 - STONE		
CHARLESTON	0501	R9 - SAW EFFECT		
CUMBIA	0587	R10 - RUSTIC WOOD		
DURANGO MOKA	0750	R10 - HAMMERED		
DURANGO TAUPE	0751	R10 - HAMMERED		
FLAMENCO	0493	R9 - SAW EFFECT		
FOLK	0488	R9 - NATURAL		
MAZURKA	0349	R9 - NATURAL		
MILONGA	0591	R9 - SAW EFFECT		
NORTH WOOD	0743	R10 - BRUSHED		
NORVEGIAN SLATE	0438	R10 - SLATE		
PASADENA	0386	R10 - BRUSHED		
PASHMINA CLOUD	0747	R9 - STONE		
PASHMINA STORM	0746	R9 - STONE		
PASO DOBLE	0592	R10 - RUSTIC WOOD		
PAVANE	0499	R9 - NATURAL		
ROYAL OAK COFFEE	0740	R9 - GENUINE		
ROYAL OAK GOLD	0739	R9 - GENUINE		
RUMBA	0502	R10 - BRUSHED		
SIRTAKI	0590	R10 - RUSTIC WOOD		
TANGO	0498	R9 - NATURAL		
TEMPO	0262	R9 - NATURAL		
TIMBER CAMEL	0742	R10 - BRUSHED		
TIMBER RUST	0741	R10 - BRUSHED		

# DECOR SKIRTING PLINTHE DÉCOR DEKOR-SOCKELLEISTE



5934  
19 mm


58 mm

5935

Installed with adhesive or clip / Pose adhésivée ou clipsée /  
Montage mit Klebstoff oder Befestigungs-Clip

## MATCHING DESIGNS DÉCORS ASSORTIS ABGESTIMMTE FARBEN

Call your customer service for further information.  
Appelez le Service Clients pour plus d'informations.  
Rufen Sie für weitere Informationen unseren  
Kundenservice an.








## PACKAGING CONDITIONNEMENT VERPACKUNGSEINHEITEN

Format (cm)	m <sup>2</sup> / box m <sup>2</sup> / boîte m <sup>2</sup> / paket	m <sup>2</sup> / palett m <sup>2</sup> / palette m <sup>2</sup> / palette
<b>CREATION 30</b>		
11.4 x 61	3.34	293.92
15.2 x 91.4	3.34	240.48
18.4 x 121.9	3.36	302.40
18.4 x 137.1	3.03	287.85
30.5 x 61	3.34	160.32
61 x 61	3.35	187.04
45.7 x 91.4	3.34	240.48
7.6 x 15.2 x 22.8 x 91.4	3.34	240.48
<b>CREATION 30 LOCK</b>		
17.8 x 124.5	1.77	141.60
30.3 x 60.7	1.84	143.52
<b>CREATION 30 X'PRESS</b>		
18.4 x 121.9	1.79	143.20
30.5 x 61	1.86	83.70
<b>Decor Skirting / Plinthe Décor / Dekor-Sockelleiste :</b>		
5 x 2.4 lm / box • 5 x 2.4 ml / boîte • 5 x 2,4 lfm / paket		





	Code	 CREATION 30	 CREATION 30 LOCK	 CREATION 30 X-PRESS	 DECOR SKIRTING / PLINTHE DÉCOR DEKOR-SOCKELLEISTE	 DECOR SKIRTING / PLINTHE DÉCOR DEKOR-SOCKELLEISTE *
AMADOR	0447	•	•	•	0447	
BALLERINA	0347	•	•	•	0347	
BEBOP	0585	•	•	•	0358	
BOOGIE	0490	•	•	•	0357	
BREAK DANCE	0589	•	•	•		0445
CARMEL	0618	•	•	•		0007
MORRIS	0265	•	•	•	0265	
PARKER STATION	0374	•	•	•		0003
QUARTET	0503	•	•	•	0503	
RIVERSIDE	0436	•	•	•		0005
SALSA	0593	•	•	•	0582	
STACCATO	0476	•	•	•	0476	
TAMOURE	0586	•	•	•	0448	
TWIST	0504	•	•	•	0504	
ANDANTE	0505	•	•	-		0505
ARENA	0060	•	•	-	0356	
BOLERO	0475	•	•	-		0447
CALYPSO	0489	•	•	-	1489	
HONEY OAK	0441	•	•	-	0441	
MADISON	0491	•	•	-	0491	
OXFORD	0061	•	•	-		0447
RUSTIC OAK	0445	•	•	-	0445	
SILVER CITY	0373	•	•	-		0007
SOPRANO	0414	•	•	-	0414	
ALAMO ASH	0737	•	-	-		0446
ALAMO SAND	0738	•	-	-		0458
BACK STREET	0748	•	-	-		0008
BAMBA	0492	•	-	-	0492	
BOSSA NOVA	0588	•	-	-		0347
BOSTONIAN	0749	•	-	-		0356
BUFFALO	0457	•	-	-	0359	
CAMBRIDGE	0465	•	-	-	0272	
CARRARE	0744	•	-	-	0744	
CHARLESTON	0501	•	-	-		0461
CUMBIA	0587	•	-	-	0458	
DURANGO MOKA	0750	•	-	-		0006
DURANGO TAUPE	0751	•	-	-		0007
FLAMENCO	0493	•	-	-		0445
FOLK	0488	•	-	-		0335
MAZURKA	0349	•	-	-	0442	
MILONGA	0591	•	-	-	0584	
NORTH WOOD	0743	•	-	-		0008
NORVEGIAN SLATE	0438	•	-	-		0004
PASADENA	0386	•	-	-	0386	
PASHMINA CLOUD	0747	•	-	-		0003
PASHMINA STORM	0746	•	-	-	0746	
PASO DOBLE	0592	•	-	-		0458
PAVANE	0499	•	-	-		0450
ROYAL OAK COFFE	0740	•	-	-	0740	
ROYAL OAK GOLD	0739	•	-	-		0062
RUMBA	0502	•	-	-	0360	
SIRTAKI	0590	•	-	-		1489
TANGO	0498	•	-	-		0360
TEMPO	0262	•	-	-	0262	
TIMBER CAMEL	0742	•	-	-		0001
TIMBER RUST	0741	•	-	-		0528

\* Matching given for information purpose /  
Correspondances  
approchantes données à  
titre indicatif /  
Ähnlich in Farbe und Design  
(unverbindliche Angabe)

• : Available / Disponible /  
Verfügbar



\* information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

## DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPCIÓN / DESCRICÃO / DESCRIZIONE

Épaisseur totale / Total Thickness / Gesamtdicke / Totale dikte / Espesor total / Espessura total / Spessore totale

Épaisseur couche d'usure / Thickness of the wearlayer / Dicke der Nuttschicht /  
Dikte van de slijtlaag / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura

Poids / Weight / Flächengewicht / Gewicht / Peso / Peso / Peso

Format / Size / Format / Afmetingen / Dimensiones / Dimensões / Dimensione

## CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI

Norme / Spécification produit / Norm / Product Specification / Produkt-Norm / Technische eigenschappen / Normas / Normas / Norma prodotto

Classement européen / European Classification / Europäische Klassifizierung / Europese classificatie / Europea / Europeia / Europea

**Classement UPEC**

**Certification NF UPEC**

Classement Feu / Fire Rating / Brandverhalten / Brand classificatie / Fuego / Fogo / Reazione al fuoco

Potentiel de charge / Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica

Glissance humide / Slip Resistance Wet / Rutschhemmung / Anti-slip /  
Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida (1)

## PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE

Résistance à l'usure / Wear Resistance / Verschleißverhalten / Slijtvastheid / Abrasión / Abrasão / Resistenza all'abrasione

Groupe d'abrasion / Wear Group / Verschleißgruppe / Groep slijtvasheid / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione

Teneur en agent liant / Type Binder content / Bindemittelgehalt / Contenido en ligante

Stabilité dimensionnelle / Dimensional Stability Maßstabilität / Maatvastheid / Estabilidad dimensional / Estabilidade dimensional / Stabilità dimensionale

Poinçonnement statique rémanent / Residual Indentation / Resteindruck / Indrukbelasting / Punzonamiento / Punçoamento / Impronta

Isolation acoustique bruits de chocs / Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Acústica / Isolamento acustico

Sonorité à la marche / Room Impact / Raumschall / Loopgeluid / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar

Essai de la chaise à roulettes / Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passaggio di sed (Type W)

Conductivité thermique / Thermal Conductivity / Wärmeleitfähigkeit / Thermische weerstand / Resistenci térmica / Resistência térmica / Resistenza termica

Solidité lumière / Colour Fastness / Lichtechtheit / Lichtechtheid / Resistencia a la luz / Estabilidade das cores / Solidità alla luce

Traitement de surface / Surface Treatment / Oberflächenvergütung /  
Oppervlaktebehandeling / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie

Résistance aux produits chimiques / Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Resistencia a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici (2)

## ENVIRONNEMENT / QUALITE DE L'AIR INTERIEUR / ENVIRONMENT / INDOOR AIR QUALITY/ UMWELT / INNERRAUMLUFTQUALITÄT / MEDIO AMBIENTE / AMBIENTE - CALIDAD INTERIOR DEL AIRE / QUALIDADE DO AR INTERIOR

TVOC après 28 jours / TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni)

Certification / Zeugnis / Certificado / Certificação

## MARQUAGE CE / CE MARKING / CE KENNZEICHNUNG / EG\_CONFORMITEITSMERK / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA



1) Ramp test with oil / Plan incliné avec huile / Schiefe Ebene.





2) Beständig gegenüber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Säuren und Laugen bei kurzzeitiger Einwirkung.

3) Boogie.

\*Glissance humide / Slip Resistance Wet / Rutschhemmung : détails sur le site internet gerflor.com / details on web site gerflor.com / Einzelheiten auf der Web-site gerflor.com




CREATION 30

		[ Artline ] CREATION 30 Design	[ Artline ] CREATION 30 <sup>[3]</sup>	[ Artline Lock ] CREATION 30 LOCK	CREATION 30 X'PRESS
EN ISO 24346 (EN 428)	mm	2.00	2.00	4.00	4.00
ASTM F386	inch	0.08	0.08	0.16	0.16
EN ISO 24340 (EN 429)	mm	0.30	0.30	0.30	0.360
ASTM F410	inch	0.01	0.01	0.01	0.01
EN ISO 23997 (EN 430)	g/m <sup>2</sup>	3460	3280	7760	7600
EN ISO 24342 (EN 427)	cm	45.7x91.4 / 61x61 / 30.5x61 / 18.4x137.1 / 18.4x121.9 / 15.2x91.4 / 11.4x61 Mix : 15.2x91.4 / 22.8x91.4 / 7.6x91.4	15.24x91.44	30.3x60.7 17.8x124.5	18.4x121.9 30.5x61
ASTM F 536	inch	18"x36" / 24"x24" / 12"x24" / 7.25"x54" 7.25"x48" / 6"x36" / 4.5"x24" Mix : 6"x36" / 9"x36" / 3"x36" /	6"x36"	11.9"x23.9" 7"x49"	7.25"x48" 12"x24"
-	-	EN ISO 10582 (EN 649)	EN ISO 10582 (EN 649)	EN ISO 10582 (EN 649)	EN ISO 10582 (EN 649)
ASTM F 1700	-	Class III Type B	Class III Type B	-	-
EN ISO 10874 (EN 685)	classe/ class	23-31	23-31	23-31	23-31
<b>NF 189</b>	-	<b>U2SP2E2C2</b>	<b>U2SP2E2C2</b>	-	-
-	-	<b>783/356-0003.1</b>	<b>302-014.1</b>	-	-
EN 13 501-1	classe/ class	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
EN 1815	kV	< 2	< 2	< 2	< 2
DIN 51 130	classe/ class	R9-R10-R11*			
EN 660.2	mm <sup>3</sup>	≤ 2.0	≤ 2.0	≤ 2.0	≤ 2.0
NF 189 (EN649)	groupe	T	T	T	T
EN ISO 10582	Type	I	I	I	I
EN ISO 23999 (EN 434)	%	≤ 0.15	≤ 0.15	≤ 0.15	≤ 0.15
EN ISO 24343-1 (EN 433)	mm	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10
EN ISO 717-2	dB	3	3	4	5
NF S 31074	dB	77	77	76	74
ISO 4918 (EN 425)	-	OK	OK	OK	OK
EN ISO 10456 (EN 12524)	W/(m.K)	0.25	0.25	0.25	0.25
EN 20 105 - B02	degré / degree	≥ 6	≥ 6	≥ 6	≥ 6
-	-	PUR+	PUR+	PUR+	PUR+
EN ISO 26987 (EN 423)	-	OK	OK	OK	OK
ISO 16000-6	µg/m <sup>3</sup>	< 100	< 100	< 100	< 100
-	-	Floorscore™			
EN 14041	-				
	-				

gerflor.com

ARCHITECTURE  
DECORATION  
SPORT  
TECHNOSPECIFIC

**ASIA:** Gerflor Asia  
Tel: +852 9222 6355 - Fax: +852 3006 1449  
e-mail: gerflorasia@gerflor.com  
**AUSTRALIA/NEW ZEALAND:** Gerflor Australasia Pty. Ltd  
Australia Tel: 1 800 060 785 - New Zealand Tel: 0 800 630 119  
e-mail: gerflor@gerflor.com.au  
**AUSTRIA/SWITZERLAND:** Gerflor GmbH  
Tel: +43 (0)7229/70800-0 - Fax: +43 (0)7229/70800-218  
e-mail: austria@gerflor.com - switzerland@gerflor.com  
**BELGIUM/LUXEMBURG:** Gerflor Benelux  
Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14  
e-mail: gerflorbel@gerflor.com  
**CANADA:** Gerflor International  
Tel: +1 438 333 0752 - Fax: +1 438 380 5425  
e-mail: gerflorcanada@gerflor.com  
**CHINA:** Gerflor Floorings (China) Co. Ltd.  
Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998  
e-mail: gerflorchina@gerflor.com  
**FINLAND:** Gerflor Oy  
Tel: +358 (0) 10 617 5150 - Fax: +358 (0) 10 617 5152  
e-mail: info@gerflor.fi  
**FRANCE:** Gerflor - Service Express:  
   
e-mail: contactfrance@gerflor.com  
**GERMANY:** Gerflor Mipolam GmbH  
Tel: +49 (0) 22 41-25 30-0 - e-mail: GerflorMipolam@Gerflor.com  
Kunden-Service: kundenservice@gerflor.com  
Tel: +49 (0) 22 41-25 30-136 - Fax: +49 (0) 22 41-25 30-100  
SAT Service und Anwendungstechnik: Technik@Gerflor.com  
Tel: +49 (0) 22 41-25 30-555 - Fax: +49 (0) 22 41-25 30-550  
**IRELAND:** Gerflor Ltd  
Tel: +353 (0) 42 96 61431 - Fax: +353 (0) 42 96 61759  
e-mail: gerflorirl@gerflor.com  
**ITALY:** Gerflor S.p.A.  
Tel +39 02 90 40 10 - Fax +39 02 90 42 74 84  
e-mail: gerfloritalia@gerflor.com  
**LATIN AMERICA (Brazil):** Gerflor América Latina  
Tel: +55 11 38 48 20 20 - Fax: +55 11 38 48 20 23  
e-mail: gerflor@gerflor.com.br  
**MIDDLE EAST:** Gerflor Middle East  
Tel: +966 3 847 1779 - Fax: +966 3 847 1781  
e-mail: gerflorME@gerflor.com  
**NETHERLANDS:** Gerflor Benelux  
Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89  
e-mail: gerflornl@gerflor.com  
**OTHER COUNTRIES:** Gerflor International  
Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13  
e-mail: gerflorcontract@gerflor.com  
**POLAND:** Gerflor Polska Sp z o.o  
Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33  
e-mail: info@gerflor.pl  
**PORTUGAL:** Gerflor Iberia, SA  
Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44  
e-mail: gerflorportugal@gerflor.com  
**RUSSIA:** Gerflor zao  
Tel / Fax: +7 495 785-23-71  
e-mail: gerflorussia@gerflor.ru  
**SCANDINAVIA:** Gerflor Scandinavia a.s.  
Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80  
e-mail: gerflorscand@gerflor.no  
**SPAIN:** Gerflor Iberia, SA  
Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85  
e-mail: gerfloriberia@gerflor.com  
**UNITED KINGDOM:** Gerflor Ltd  
Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647  
e-mail: contractuk@gerflor.com  
**USA:** Gerflor North America  
Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753  
e-mail: info@gerflorusa.com



CREATION 55

0,55\*



CREATION 70

0,70\*



\*Wear layer (mm) / Couche d'usure (mm) / Nutzschrift (mm)



interiordesigner.gerflor.com



Health  
& Safety



ISO 14001



Recycling



LCA  
Life Cycle  
Analysis

Committed to sustainable development

**Gerflor**  
theflooringgroup