my "Reference"

CREATION 30

Gerflor®
theflooringgroup

	CREATION 30	CREATION 30 CLIC	SKIRTINGS 100 % DESIGN MATCHING
AMADOR	■	■	■
AMARANTE	■	■	■
ARENA	■	■	■
ASPEN	■	■	■
BALLERINA	■	■	■
BOSTONIAN OAK	■	■	■
BOSTONIAN OAK BEIGE	■	■	■
BOSTONIAN OAK GREY	■	■	■
BOSTONIAN OAK HONEY	■	■	■
BROWNIE	■	■	■
BUFFALO	■	■	■
CAMBRIDGE	■	■	■
CARMEL	■	■	■
CARRARE	■	■	■
CEDAR BROWN	■	■	■
CEDAR PURE	■	■	■
CEMENTINE BUCKSKIN	■	■	■
CEMENTINE DENIM	■	■	■
DURANGO TAUPE	■	■	■
HONEY OAK	■	■	■
LONG BOARD	■	■	■
MALUA BAY	■	■	■
MICHIGAN	■	■	■
NORVEGIAN STONE	■	■	■
OXFORD	■	■	■
PARKER STATION	■	■	■
QUARTET	■	■	■
QUARTET FAUVE	■	■	■
RANCH	■	■	■
REGGIA IVORY	■	■	■
RIVERSIDE	■	■	■
RUSTIC OAK	■	■	■
SILVER CITY	■	■	■
STACCATO	■	■	■
SWISS OAK BEIGE	■	■	■
SWISS OAK CASHMERE	■	■	■
SWISS OAK GOLDEN	■	■	■
SWISS OAK PEARL	■	■	■
SWISS OAK SMOKED	■	■	■
TWIST	■	■	■
WHITE LIME	■	■	■
ALAMO ASH	■		■
ALAMO SAND	■		■
BACK STREET	■		■
CHEVRON BUCKWHEAT	■		■
CHEVRON HURRICANE	■		■
NORTHWOOD MACCHIATO	■		■
NORTHWOOD MOKACCINO	■		■
PASHMINA CLOUD	■		■
PASHMINA STORM	■		■
QUARTET HONEY	■		■
REGGIA TAUPE	■		■
ROYAL OAK BLOND	■		■
ROYAL OAK COFFEE	■		■
ROYAL OAK GOLD	■		■
TIMBER CAMEL	■		■
TIMBER GOLD	■		■
TIMBER RUST	■		■

■ : Available

LRV on gerflor.com

CREATION 30

CREATION 30 CLIC

INTERLOCKING

CREATION 30

GLUE DOWN

For more information please refer to Gerflor's installation guidelines

VISUALIZE YOUR REFERENCE

interiordesigner.gerflor.com

DESIGN SHADE VARIATION

Light | Medium | High

CREATION 30	CREATION 55	CREATION 70
0,30*	0,55*	0,70*
TRAFFIC & RESISTANCE		

*Wear layer (mm)

PACKAGING

Format (mm)	m² / box	m²/ pallet
CREATION 30		
184 x 1219	3.36	241.92
184 x 1219*	3.14	251.2
230 x 1500	3.80	250.8
610 x 610	3.35	234.5
457 x 914	3.76	248.16
CREATION 30 CLIC		
214 x 1239	2.12	114.5
242 x 1461	2.47	118.6
391 x 729	2.28	116.3

**CHEVRON design only*

More details on gerflor.com

CREATION 30
samples inside.

For **CREATION 30 CLIC**,
please order samples.

Non-contractual imagery

CREATION 30 CLIC

391 x 729 mm

214 x 1239 mm

242 x 1461 mm

PUR+ MATT

Easy maintenance

4D DESIGN

STRUCTURED EMBOSS & BEVEL

Ultra realistic surface

MATT SURFACE

Natural look

CRISTAL WEAR LAYER

High definition design & color

DESIGNS

Wide variety of planks or tiles

DUO CORE TECHNOLOGY

1 RESILIENT COMFORT CORE

Noise absorption

Soft underfoot

2 RIGID CORE

The best stability Fiber glass inside

No adhesive

Renovation ceramic 4 mm joint

CLIC REVOLUTION

100% VERTICAL

FAST RENOVATION

30% Faster

Heavy load resistance

Waterproof joints

100% REACH
Phthalate free
(except recycled content)

REACH

100% RECYCLABLE
55% recycled content

TVOC emissions below detection level
(TVOC < 10µg after 28 days)
No formaldehyde

INDOOR AIR QUALITY

For more information please refer to Gerflor's installation guidelines

UNDERLAY
GERFLOR ACOUSTIC / 15 dB
More details on gerflor.com

Format: 1 m x 15 lm

UNDERLAY
GERFLOR SILENCE PLUS / 19 dB
More details on gerflor.com

Format: 1.18 m x 8.5 lm

SKIRTINGS
100 % DESIGN MATCHING

ENTRANCE MAT

ROMUS TOOLS
Anti-bounce mallet
Fitter Knife - LVT Roller

CREATION 30

610 x 610 mm | 457 x 914 mm | 184 x 1219 mm | 230 x 1500 mm

PUR+ MATT

Easy maintenance

4D DESIGN

STRUCTURED EMBOSS & MICRO BEVEL

Ultra realistic surface

MATT SURFACE

Natural look

CRISTAL WEAR LAYER

High definition design & color

DESIGNS

Wide variety of planks or tiles

RESILIENT COMFORT CORE

Noise absorption

Soft underfoot

DIAMOND BACKLAYER

BODY & STRENGTH

Easy handling

BACK EMBOSS

Better subfloor adhesion

Easy positioning

100% REACH
Phthalate free
(except recycled content)

100% RECYCLABLE
35% recycled content

TVOC emissions below detection level
(TVOC < 10µg after 28 days)
No formaldehyde

For more information please refer to Gerflor's installation guidelines

UNDERLAY
GERFLOR SMART FIX / 16 dB
More details on gerflor.com

Format: 1 m x 7.5 lm

SKIRTINGS
100 % DESIGN MATCHING

my Reference

30 years experience
Since 1985

Manufacturer
3 LVT Factories

World Class Logistics
12 Logistics Hubs

Gerflor Design Centre
Exclusive Designs

“Serenity„
Leila - **End User**

“Time saving„
Mika - **Installer**

“Unique Design„
Pierre - **Architect**

“Confidence„
Claire - **Store Manager**

“Reliability„
Lucas - **Distributor**

Gerflor
is our
Reference

SWISS OAK BEIGE

SWISS OAK CASHMERE

SWISS OAK PEARL

SWISS OAK SMOKED

SWISS OAK GOLDEN

Swiss Oak Collection



SWISS OAK GOLDEN 0796

184 x 1219
230 x 1500

214 x 1239
242 x 1461

SWISS OAK BEIGE 0848

184 x 1219
230 x 1500

214 x 1239
242 x 1461

SWISS OAK CASHMERE 0795

184 x 1219
230 x 1500

214 x 1239
242 x 1461

SWISS OAK PEARL 0846

184 x 1219
230 x 1500

214 x 1239
242 x 1461



SWISS OAK SMOKED 0847

184 x 1219
230 x 1500

214 x 1239
242 x 1461

Bostonian Oak Collection

BOSTONIAN OAK HONEY 0851

184 x 1219
230 x 1500

214 x 1239
242 x 1461

BOSTONIAN OAK 0871

184 x 1219

214 x 1239

BOSTONIAN OAK BEIGE 0853

184 x 1219
230 x 1500

214 x 1239
242 x 1461

BOSTONIAN OAK GREY 0855

184 x 1219
230 x 1500

214 x 1239
242 x 1461

Complementary views on interiordesigner.gerflor.com

BOSTONIAN OAK HONEY

BOSTONIAN OAK BEIGE

BOSTONIAN OAK GREY

BOSTONIAN OAK

RANCH



ALAMO ASH

OXFORD

AMADOR

ALAMO ASH 0737

ULTRA REALISTIC EMBOSSING

184 x 1219

RANCH 0456

184 x 1219
230 x 1500

214 x 1239
242 x 1461

AMADOR 0447

184 x 1219

214 x 1239

OXFORD 0061

184 x 1219

214 x 1239

MALUA BAY 0448

184 x 1219 | 214 x 1239

ARENA 0060

184 x 1219 | 214 x 1239

WHITE LIME 0584

184 x 1219 | 214 x 1239

Complementary views on interiordesigner.gerflor.com

MALUA BAY

ARENA

WHITE LIME

TIMBER GOLD

TIMBER CAMEL



TIMBER RUST

TIMBER GOLD 0874

184 x 1219

TIMBER CAMEL 0742

184 x 1219

TIMBER RUST 0741

184 x 1219

CHEVRON BUCKWHEAT 0811

ULTRA REALISTIC EMBOSSING

184 x 1219

CHEVRON HURRICANE 0809

ULTRA REALISTIC EMBOSSING

184 x 1219

Complementary views on interiordesigner.gerflor.com

CHEVRON BUCKWHEAT

CHEVRON HURRICANE

CEDAR PURE

CEDAR BROWN

CEDAR BROWN

CEDAR PURE 0849

230 x 1500 | 242 x 1461

CEDAR BROWN 0850

230 x 1500 | 242 x 1461

TWIST 0504

184 x 1219 | 214 x 1239

LONGBOARD 0455

184 x 1219 | 214 x 1239

AMARANTE 0579

184 x 1219 | 214 x 1239

HONEY OAK 0441

184 x 1219 | 214 x 1239

Complementary views on interiordesigner.gerflor.com

TWIST

LONG BOARD

HONEY OAK

AMARANTE

CAMBRIDGE

QUARTET HONEY

BALLERINA

QUARTET FAUVE

CAMBRIDGE 0465

184 x 1219 | 214 x 1239

QUARTET HONEY 0870

184 x 1219

BALLERINA 0347

184 x 1219 | 214 x 1239

QUARTET FAUVE 0859

184 x 1219 | 214 x 1239

NORTHWOOD MACCHIATO 0816

184 x 1219

NORTHWOOD MOKACCINO 0817

184 x 1219

ROYAL OAK BLOND 0812

ULTRA REALISTIC EMBOSSING

184 x 1219

Complementary views on interiordesigner.gerflor.com

NORTHWOOD MOKACCINO

NORTHWOOD MACCHIATO

ROYAL OAK BLOND

BROWNIE

ROYAL OAK COFFEE

MICHIGAN

MICHIGAN 0461

184 x 1219 | 214 x 1239

BROWNIE 0459

184 x 1219 | 214 x 1239

ROYAL OAK COFFEE 0740

ULTRA REALISTIC EMBOSSING

184 x 1219

ROYAL OAK GOLD 0739

ULTRA REALISTIC EMBOSSING

184 x 1219

QUARTET 0503

184 x 1219 | 214 x 1239

RUSTIC OAK 0445

184 x 1219 | 214 x 1239

Complementary views on interiordesigner.gerflor.com

QUARTET

ROYAL OAK GOLD

RUSTIC OAK

PASHMINA CLOUD

PASHMINA CLOUD

PASHMINA STORM

PASHMINA CLOUD 0747

457 x 914

PASHMINA STORM 0746

457 x 914

ALAMO SAND 0738

184 x 1219

BUFFALO 0457

184 x 1219 | 214 x 1239

ASPEN 0458

184 x 1219 | 214 x 1239

Complementary views on interiordesigner.gerflor.com

BUFFALO

ALAMO SAND

ASPEN

BACK STREET

STACCATO

CEMENTINE DENIM



STACCATO 0476 610 x 610 | 391 x 729

BACK STREET 0748 457 x 914



CEMENTINE DENIM 0864 457 x 914 | 391 x 729

RIVERSIDE 0436 610 x 610 | 391 x 729

SILVER CITY 0373 610 x 610 | 391 x 729

PARKER STATION 0374 610 x 610 | 391 x 729

NORVEGIAN STONE 0860 457 x 914 | 391 x 729

Complementary views on interiordesigner.gerflor.com

PARKER STATION

RIVERSIDE

SILVERCITY

NORVEGIAN STONE

CARRARE

DURANGO TAUPE

REGGIA IVORY

CARRARE 0744 457 x 914 | 391 x 729

REGGIA IVORY 0861 457 x 914 | 391 x 729

DURANGO TAUPE 0751 610 x 610 | 391 x 729



REGGIA TAUPE 0862 457 x 914

CARMEL 0618 457 x 914 | 391 x 729

CEMENTINE BUCKSKIN 0865 457 x 914 | 391 x 729

Complementary views on interiordesigner.gerflor.com

REGGIA TAUPE

CEMENTINE BUCKSKIN / CARMEL

EXCLUSIVE EMBOSSES FOR ENHANCED DESIGNS
SURFACES GRAINÉES POUR UNE MATIÈRE TRÈS RÉALISTE
VERSCHIEDENE EXKLUSIVE OBERFLÄCHENPRÄGUNGEN
FÜR NOCH REALISTISCHERE DESIGNS


ALAMO*

ROYAL OAK*

BRUSHED

SAW EFFECT

NATURAL


STONE

CHEVRON*

PERFORATED


HAMMERED

* ULTRA REALISTIC EMBOSSING

			CREATION 30 GLUE DOWN	CREATION 30 CLIC
COLOR DESIGN	CODE	EMBOSSES / GRAINS / PRÄGUNGEN		
AMADOR	0447	SAW EFFECT	●	●
AMARANTE	0579	BRUSHED	●	●
ARENA	0060	SAW EFFECT	●	●
ASPEN	0458	BRUSHED	●	●
BALLERINA	0347	NATURAL	●	●
BOSTONIAN OAK	0871	NATURAL	●	●
BOSTONIAN OAK BEIGE	0853	NATURAL	●	●
BOSTONIAN OAK GREY	0855	NATURAL	●	●
BOSTONIAN OAK HONEY	0851	NATURAL	●	●
BROWNIE	0459	NATURAL	●	●
BUFFALO	0457	BRUSHED	●	●
CAMBRIDGE	0465	NATURAL	●	●
CARMEL	0618	HAMMERED	●	●
CARRARE	0744	STONE	●	●
CEDAR BROWN	0850	NATURAL	●	●
CEDAR PURE	0849	NATURAL	●	●
CEMENTINE BUCKSKIN	0865	STONE	●	●
CEMENTINE DENIM	0864	STONE	●	●
DURANGO TAUPE	0751	HAMMERED	●	●
HONEY OAK	0441	NATURAL	●	●
LONG BOARD	0455	BRUSHED	●	●
MALUA BAY	0448	BRUSHED	●	●
MICHIGAN	0461	BRUSHED	●	●
NORVEGIAN STONE	0860	HAMMERED	●	●
OXFORD	0061	BRUSHED	●	●
PARKER STATION	0374	HAMMERED	●	●
QUARTET	0503	NATURAL	●	●
QUARTET FAUVE	0859	NATURAL	●	●
RANCH	0456	BRUSHED	●	●
REGGIA IVORY	0861	STONE	●	●
RIVERSIDE	0436	HAMMERED	●	●
RUSTIC OAK	0445	BRUSHED	●	●
SILVER CITY	0373	HAMMERED	●	●
STACCATO	0476	PERFORATED	●	●
SWISS OAK BEIGE	0848	NATURAL	●	●
SWISS OAK CASHMERE	0795	NATURAL	●	●
SWISS OAK GOLDEN	0796	NATURAL	●	●
SWISS OAK PEARL	0846	NATURAL	●	●
SWISS OAK SMOKED	0847	NATURAL	●	●
TWIST	0504	NATURAL	●	●
WHITE LIME	0584	SAW EFFECT	●	●
ALAMO ASH*	0737	ALAMO	●	
ALAMO SAND*	0738	ALAMO	●	
BACK STREET	0748	HAMMERED	●	
CHEVRON BUCKWHEAT*	0811	CHEVRON	●	
CHEVRON HURRICANE*	0809	CHEVRON	●	
NORTH WOOD MACCHIATO	0816	BRUSHED	●	
NORTH WOOD MOKACCINO	0817	BRUSHED	●	
PASHMINA CLOUD	0747	STONE	●	
PASHMINA STORM	0746	STONE	●	
QUARTET HONEY	0870	NATURAL	●	
REGGIA TAUPE	0862	STONE	●	
ROYAL OAK BLOND*	0812	ROYAL OAK	●	
ROYAL OAK COFFEE*	0740	ROYAL OAK	●	
ROYAL OAK GOLD*	0739	ROYAL OAK	●	
TIMBER CAMEL	0742	BRUSHED	●	
TIMBER GOLD	0874	BRUSHED	●	
TIMBER RUST	0741	BRUSHED	●	

●: Available / Disponible / Verfügbar

CREATION 30

gerflor.com

			CREATION 30	CREATION 30 CLIC
			Design	
DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRIÇÃ0 / DESCRIZIONE				
Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Espessura total / Spessore totale	EN ISO 24346 (EN 428)	mm	2.00	4.50
	ASTM F386-02	inch	0.08	0.18
Thickness of the wearlayer / Dicke der Nutzschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura	EN ISO 24340 (EN 429)	mm	0.30	0.40
	ASTM F410-02	inch	0.01	0.02
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Peso	EN ISO 23997 (EN 430)	g/m²	3460	7385
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342 (EN 427)	mm	184x1219 / 230x1500 457x914 / 610x610	214x1239 / 242x1461 391x729
	ASTM F 536	inch	7,25"x48" / 9"x59" 18"x36" / 24"x24"	8.4"x48.7" / 9.5"x57.5" 15.3"x28.7"
CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI				
Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/Spécification produit / Normas / Normas / Norma prodotto	-	-	EN ISO 10582 (EN 649)	EN ISO 10582 (EN 649)
	ASTM F 1700-04	-	Class III Type B	Class III Type B
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Classificación europea / Classificação Europeia / Europea	EN ISO 10874 (EN 685)	Class	23 - 31	32
Classement UPEC	-	-	U2SP3E2C2	-
Certification QB UPEC	QB 30	n°	783/356-003.1	-
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class	Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica	EN 1815	kV	< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida[1]	DIN 51130 /BGR 181	Class	R10	R10
PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE				
Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm³	≤ 2.0	≤ 2.0
Wear Group / Verschleißgruppe / Groep slijtvasheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione	QB 30	group	T	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group	I	I
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilità dimensionale (requisito normativo)	EN ISO 23999 (EN 434)	%	≤ 0.25	≤ 0.15
Dimensional stability (average measured value) / Maßstabilität (Durchschnittsmesswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidad Dimensional (Valor medio) / Stabilità dimensionale (rilevata)	-	%	≤ 0.10	≤ 0.05
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçoamento / Impronta	EN ISO 24343-1 (EN 433)	mm	≤ 0.10	≤ 0.10
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB	4	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB	77	78
Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passagio di sed (Type W)	ISO 4918 (EN 425)	-	OK	OK
Thermal Conductivity / Wämeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemostand	EN ISO 10456 (EN12524)	W/(m.K)	0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree	≥ 6	≥ 6
Surface Treatment / Oberflächenvergütung / Oppervlaktebehandeling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-	PUR+ Matt	PUR+ Matt
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Résistance aux produits chimiques / Resistencia a los productos químicos /Resistência aos produtos químicos / Resistenza ai prodotti chimici [2]	EN ISO 26987 (EN 423)	-	OK	OK
ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/QUALIDADE DO AR INTERIOR				
TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m³	< 10	< 10
Certification /Zeugnis / Certification / Certificado / Certificação	-	-	-	Floorscore®
CE MARKING / CE KENNZEICHNUNG / EG_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA				
CE	EN 14041	-	DS	B_{fl}-s1

(1) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile
(2) Beständig gegenuber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Saüren und Laugen bei kurzzeitiger Einwirkung.

CREATION, NO FORMALDEHYDE, BETTER INDOOR AIR QUALITY

COMPOSITION
100% REACH
Phthalate Free
(except recycled content)

INDOOR AIR QUALITY
TVOC below detection level
No Formaldehyde emission

RECYCLED CONTENT
Glue Down: 35%
Clic: 55%

RECYCLABILITY
100%

INSTALLATION
Clic: Adhesive free

WELLNESS
Walking noise reduction:
-10dB vs laminate

IMPORTANT: The information contained in this document is valid from 01/03/2019 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.

Gerflor® theflooringgroup

23 €
RC Lyon B 726 580 152 - jpe - Printed in CEE 209 406 - Non-contractual imagery - Z0013299 - 03/2019 - Indicative documentation cost: